

# HAND & ARM PROTECTION



## Safety in Hand

The key to hand protection is workers wearing gloves! That's why our goal at Honeywell is to provide gloves and sleeves that not only protect, but also have the fit, form and comfort workers are asking for. We are committed to developing and delivering hand and arm protection that will protect workers from the harshest conditions, in the widest array of applications. From Silver Shield gloves protecting against the most caustic of chemicals, to our extensive line of glovebox gloves for nuclear and pharmaceutical needs, to our Whiting + Davis metal mesh gloves shielding workers from severe lacerations — our mission is to inform and educate workers to help them choose the correct glove for the job, and deliver the glove they'll want to wear.

## A RANGE OF PROTECTION

Disposables — are thin unsupported gloves, usually made from nitrile or natural rubber or a combination of polymers. Disposable gloves provide limited protection against liquids, oils, chemicals and mechanical hazards.

Liquid & Chemical Resistant — gloves provide a continuous membrane that protects the hands from hazardous and non hazardous substances. They are available in many different types and materials.

General Purpose — gloves encompass many different designs and materials. They are intended to provide protection from dirt and mechanical hazards or to enhance the wearer's grip.

Cut Resistant — gloves are specifically designed to provide protection against sharp objects such as blades, glass and metals.

Controlled Environment — hand protection protects workers in nuclear, technology, electronics and pharmaceutical industries.



DISPOSABLE GLOVES



**Nitrile Disposable Gloves**

- Formulation provides good chemical resistance for incidental exposure to acids, bases, oils, solvents, esters, grease and animal fats
- Gloves are ambidextrous and feature a smooth grip and rolled cuff to help prevent tear
- Nitrile gloves comply with USDA and FDA regulations, 21 CFR, for use in food processing



LA049

HONEYWELL SKU	Description	Length/Gauge	AQL
PSD-NI8	Blue, powder-free	12 7/8 mil	1.5

NORTH SKU	Description	Length/Gauge	AQL
LA049	Blue, lightly powdered	9 7/5 mil	1.5
LA049PF	Blue, powder-free	9 7/5 mil	1.5
LA049IND	Blue, lightly powdered	9 7/5 mil	4.0
LA049PFIND	Blue, powder-free	9 7/5 mil	4.0

CHEMICAL-RESISTANT GLOVES



LA102G

**North® Nitriguard Plus™ Unsupported Nitrile Gloves**

- Comply with USDA and FDA regulations, 21 CFR, for use in food processing
- Curved natural shape provides excellent comfort, styles are hand-specific with sand-patch palm finish and straight cuff

SKU	Description	Length/Gauge
LA102G	Green, sanitized interior	13 7/11 mil
LA132G	Green, flock interior	13 7/15 mil
LA172G	Green, flock interior	13 7/17 mil
LA111EBFL	Blue, flock interior	13 7/15 mil



NK803

**North® Nitri-Knit™ Supported Nitrile Gloves**

- Hand portion is treated with a permanent anti-bacterial and anti-mildew agent
- Curved natural shape provides excellent comfort, styles are hand-specific with rough palm finish, 26" long styles have elastic cuffs to hold extended cuffs in place
- Insulated versions recommended for temperatures from -10°F to 300°F (-23°C to 149°C)
- Comply with USDA and FDA regulations, 21 CFR, for use in food processing.

SKU	Description	Length
NK803	Blue, interlock liner	12"
NK803ES	Blue, interlock liner	26"
NK803IN	Blue, insulated liner	12"
NK803ESIN	Blue, insulated liner	26"



**CHEMICAL-RESISTANT GLOVES**



B131



SSG

**North® Butyl Unsupported Gloves**

- Butyl offers the highest permeation resistance to gas or water vapor, and is ideal for use in ketones (MEK, MIBK, acetone), esters (trichresyl phosphate, amyl acetate, ethyl acetate), and highly corrosive acids
- Flexible and sensitive, even at lower temperatures
- Butyl gloves are all black and feature a rolled bead cuff to help prevent accidental tear
- Made in the U.S.A.

SKU	Description	Length	Grip
B131	Black, sanitized interior	11"/13 mil	Smooth
B131R	Black, sanitized interior	11"/13 mil	Rough
B174	Black, sanitized interior	14"/17 mil	Smooth

**North® Silver Shield® High-Performance Gloves**


- Resistant to over 280 different chemicals, including alcohols, aliphatics, aromatics, chlorines, ketones and esters
- Does not contain latex or chemical accelerators – little chance of allergic reactions
- Can be used as a secondary inner glove

SKU	Description	Length
SSG	Silver, unlined	14.5"/2.7 mil 16"/2.7 mil

**CONTROLLED ENVIRONMENT GLOVES**



AK1815/0



**North® Latex Cleanroom Gloves**

- 100% natural rubber latex has excellent dexterity and elasticity
- Powder-free manufacturing process reduces particulate and extractable contamination
- Cleanroom packaged and double bagged with cleanroom-compatible packaging and labeling materials
- Testing: IEST-RP-CC005.3 (modified) particulate and extractables; ASTM 739 permeation and are suitable for up to class 100 cleanroom

**WARNING!** This product contains natural rubber latex proteins which may cause allergic reactions in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs, stop using this product immediately and consult a medical provider.

SKU	Description	Length
AK1815/0	Orange, powder-free	15"/20 mil

### FIBER INFORMATION

FIBER	HPPE (High-Performance Polyethylene fiber)	Aramid
FEATURES	<ul style="list-style-type: none"> <li>• 15x stronger than steel on an equal weight basis.</li> <li>• Low-linting product protection</li> <li>• Launderable to help control bacteria build-up, can withstand bleach</li> <li>• NOT recommended for high-heat applications; temperatures exceeding 170° F (77° C) for extended periods should be avoided</li> <li>• Can be blended with fiberglass or steel to increase cut resistance</li> </ul>	<ul style="list-style-type: none"> <li>• 5x stronger than steel on an equal weight basis</li> <li>• Good for high-heat applications – will not degrade in temperatures up to 900° F (480° C)</li> <li>• Can be laundered, but cannot withstand bleach</li> <li>• Can be blended with fiberglass or steel to increase cut resistance</li> </ul>
BRANDS	Spectra® Fiber and Dyneema®	Kevlar® and Twaron®
APPLICATIONS	<ul style="list-style-type: none"> <li>• Food processing</li> <li>• Electronic or small parts assembly</li> <li>• Packaging</li> <li>• Glass handling</li> <li>• Maintenance</li> <li>• Recycling</li> <li>• Construction</li> </ul>	<ul style="list-style-type: none"> <li>• Metal Stamping</li> <li>• Automotive Assembly</li> <li>• Lumber and Mill work</li> <li>• Oil Refineries</li> <li>• Road Construction</li> <li>• Maintenance</li> <li>• Recycling</li> </ul>



NFD20B

### Nitrile-Dipped Gloves

- Nitrile coating delivers added mechanical protection for cut and abrasion
- Foam nitrile coating adds grip in wet or oily applications
- Seamless knit shell has no seams to rub or chafe
- Ergonomic design helps to lessen hand fatigue

#### HONEYWELL

SKU	Fiber	Gauge	Coating and color	ANSI	EN388
PF570	HPPE and steel fiber	13	Nitrile, grey	4	3544

#### NORTH

SKU	Fiber	Gauge	Coating and color	ANSI	EN388
NFCRTF	Kevlar® and fiberglass fiber	10	Nitrile foam, yellow/black	4	4543
NFD18FRG	Kevlar® blend	10	Nitrile and neoprene bi-polymer, black	4	3543
NFF13C	Kevlar® and steel fiber	10	Nitrile foam, dark blue	4	4543
NFD20B	HPPE, fiberglass and Lycra®	13	Nitrile and neoprene bi-polymer, dark blue/black	3	4542
NFD15B	HPPE, and Lycra®	13	Nitrile and PU, black	2	4343
NFKL13	Kevlar® and Lycra®	13	Nitrile, yellow/black	2	3221



NFD35X

### North® Nitrile Breathable Foam-Dipped Gloves

- Lightweight Dyneema® and fiberglass liner is highly cut resistant
- Advanced nitrile foam squeegees liquid and oil out between surface and palm for greater grip and control
- Two-stage, 3/4 coating is impermeable to liquids, helping to keep hands dry

SKU	Fiber	Gauge	Coating	ANSI	EN388
NFD35X	Dyneema® and fiberglass, green	13	Nitrile breathable foam, black	3	4543



**CUT-RESISTANT GLOVES**



**Polyurethane (PU)-Dipped Gloves**

- PU coating is extremely durable, providing the best in abrasion, cut, tear and puncture protection
- PU durability allows for an ultra-thin coating to deliver excellent tactile sensitivity
- Seamless knit shell has no seams to rub or chafe

HONEYWELL					
SKU	Fiber	Gauge	Coating and color	ANSI	EN388
WE300	Spectra® fiber & fiberglass, light gray	13	PU, gray	3	4543
PF541	HPPE, gray	13	PU, gray	2	4343
PF541HVZ	HPPE, yellow	13	PU, orange	2	N/A
PF542	HPPE, white	13	PU, gray	1	4342

NORTH					
SKU	Fiber	Gauge	Coating and color	ANSI	EN388
NFD15	HPPE, white	13	PU, white	1	4242
NFD16G	HPPE, gray speckled	13	PU, gray	1	4343



**North® PVC Foam-Dipped Gloves**

- PVC foam coating provides excellent grip in wet applications
- Thermal liner allows for wearer comfort down to -15° F (-26° C)
- Seamless knit shell has no seams to rub or chafe
- Ergonomic design helps to lessen hand fatigue

SKU	Fiber	Gauge	Coating and color	ANSI	EN388
NFD11HD	Dyneema®, with thermal liner, orange	18	PVC foam, ¾ coating, black	4 / A4	4542

**Honeywell Natural Rubber-Dipped Gloves**

- Natural rubber coating delivers added mechanical protection for cut and puncture
- Seamless knit shell has no seams to rub or chafe
- Ergonomic design helps to lessen hand fatigue

SKU	Fiber	Gauge	Coating and color	ANSI	EN388
KV303	Kevlar® and steel fiber	10	Natural rubber, black	4	4543
KV200	100% Kevlar®	10	Natural rubber, blue	2	3344

**Kevlar® and Kevlar Blend, Grip Pattern Coating**

- Good cut protection
- Seamless knit gloves
- Kevlar® will not melt or support a flame in high-heat applications
- Assorted grip patterns provided added slip resistance to help prevent hands from sliding over sharp edges



HONEYWELL					
SKU	Fiber	Gauge	Coating	ANSI	EN388
KVAD18	Kevlar® Armor	13	PVC dot pattern	3	NA
KVD18AR-100	100% Kevlar®, medium-weight	7	PVC dot pattern double sided	3	NA

NORTH					
SKU	Fiber	Gauge	Coating	ANSI	EN388
52/7457	Kevlar®/cotton exterior, cotton/poly interior	7	Nitrile N pattern reversible	3	1441
52/7457C	Kevlar®/cotton exterior, cotton/poly interior with 4" starched cuff	7	Nitrile N pattern reversible	3	1441
52/6647	Kevlar®, cotton/poly plated	7	Nitrile N pattern double sided	2	1341



CUT-RESISTANT GLOVES



KV18A-100-50

**Honeywell Junk Yard Dog® Leather Palm Gloves**

- Kevlar® fiber, and Kevlar® fiber blended with steel provides excellent cut protection
- Seamless knit shell has no seams to rub or chafe
- Premium split leather cow hide on palm adds grip in oily applications

SKU	Description	Gauge	ANSI	EN388
KV18-55	Kevlar® and steel medium-weight with split leather palm	10	4	4X43
KV20A-100-50	Kevlar®, heavyweight knit with split leather palm	10	4	4X43
KV18A-100-50	Kevlar®, medium-weight knit with split leather palm	7	3	4X43
KV224D	Kevlar® interior shell with leather and cotton canvas cut/sewn exterior	10	3	4X44



KV5SS



PF13-GY-SS

**Honeywell Spectra® Fiber, and Steel Cord Uncoated Gloves**

- Excellent cut protection
- Seamless knit glove with no seams to rub or chafe
- Fibers are low-linting and compliant with FDA for food contact 21 CFR 170-199

SKU	Fiber	Gauge	ANSI	EN388
KV5SS	Steel cord, with gold filament wrap	7	5 / A9	NA
PF7-GY-SS	Spectra® fiber and steel, gray	7	5 / A6	NA
PF10-GY	Spectra® fiber, gray	10	4 / A5	NA
PF13-GY	Spectra® fiber, gray	13	4 / A5	NA
PF13-GY-SS	Spectra® fiber and steel, gray	13	4 / A6	NA
PF13-GY-SS-PL	Spectra® fiber and steel, Lycra® plated interior, gray	13	4 / A6	NA
PF13	Spectra® fiber, white	13	4 / A5	NA

**Kevlar® and Kevlar Blend Uncoated Gloves**

- Good cut protection
- Seamless knit glove with no seams to rub or chafe
- Kevlar® will not melt or support a flame in high-heat applications



CRT13

HONEYWELL				
Item	Fiber	Gauge	ANSI	EN388
KVT24A-CKC	Kevlar®, 24 oz. loop-out terry	NA	4	NA
CRT13	Kevlar®, fiberglass and polyester	13	4	NA
CRT17	Kevlar®, fiberglass and polyester	7	4	NA
KV20A-100	Kevlar®, 100%, heavyweight	7	4	NA
BK-KV18	Kevlar®, black, 100% medium-weight	7	3	NA
KV18A-100	Kevlar®, 100% medium-weight	7	3	NA
MT24A	Kevlar®, mock-twist terry-cloth, 24 oz.	NA	3	NA
KV13A	Kevlar®, 100% lightweight	13	2	NA
KV17A-PL	Kevlar® with cotton plated interior	7	2	NA
KVSP13A	Kevlar® and Spandex	13	2	NA
NORTH				
Item	Fiber	Gauge	ANSI	EN388
52/7407	Kevlar®/cotton exterior and cotton/poly interior	10	3	1441



IMPACT PROTECTION



**Honeywell Rig Dog® Impact-Resistant Gloves**

- PVC impact-resistant patches cover areas vulnerable to injury
- Cut and sewn construction, with spandex panels for added stretch, comfort and fit
- Hook-and-loop tab wrist closure, with silver reflective piping to enhance low-light visual awareness
- All season and thermal styles are available

Item	Fiber	Coating and color	ANSI	EN388
MPCT1000	Synthetic and Spandex	Silicone dot pattern palm bright yellow and black	NA	2111
MPCT1000HD	Synthetic and Spandex. Insulated interior	Silicone dot pattern palm bright yellow and black,	NA	2111

GENERAL-PURPOSE GLOVES



SEAMLESS KNIT FIBERS

FIBERS	Nylon	Cotton	Polyester	Lykra®/Spandex®
FEATURES	Synthetic, low-linting fiber that provides excellent durability, comfort and dexterity	Natural fiber that provides worker comfort and an economical performance	Synthetic fiber that provides good durability, comfort and dexterity	Synthetic fiber used to blend with other fibers to increase elasticity, strength and improve fit
APPLICATIONS	<ul style="list-style-type: none"> <li>• Food processing</li> <li>• Painting</li> <li>• Maintenance</li> <li>• Construction</li> <li>• Electronics</li> </ul>	<ul style="list-style-type: none"> <li>• Assembly and parts handling</li> <li>• General maintenance</li> <li>• Warehousing</li> <li>• Fabrication</li> <li>• Automotive</li> </ul>	<ul style="list-style-type: none"> <li>• Assembly and parts handling</li> <li>• General maintenance</li> <li>• Warehousing</li> <li>• Fabrication</li> <li>• Automotive</li> </ul>	Blended with other fibers so gloves fit better, last longer, and feel more comfortable



**North® PVC Foam-Dipped Gloves**

- Foamed PVC coatings are soft and flexible for enhanced wearer comfort
- PVC is tough and able to withstand harsh abrasion applications
- Foam PVC open surface texture squeegees liquids from surfaces to enable a firm grip

Item	Fiber	Gauge	Coating and color	ANSI	EN388
NF11	Nylon, red	15	PVC foam, black	NA	4131
NF11X	Nylon, red	15	PVC foam ¾, black	NA	4131
NF11HWY	Nylon, bright yellow	15	PVC foam, bright yellow	NA	4131



**North® PVC Foam-Dipped Thermal Glove**

- Nylon outer layer with thermal, brushed synthetic fiber liner
- Wearer cold environment protection down to -15° F (-26° C)

Item	Fiber	Gauge	Coating and color	ANSI	EN388
NF11HD	Nylon outer, thermal interior	15 (outer)	PVC foam ¾, black	NA	3232

GENERAL-PURPOSE GLOVES



**North® Nitrile Breathable Foam-Dipped Gloves**

- Advanced nitrile foam squeegees liquid and oil out between surface and palm for greater grip and control
- Two-stage coating is impermeable to liquids, helping to keep hands dry

Item	Fiber	Gauge	Coating and color	ANSI	EN388
NF35	Nylon, green	15	Nitrile foam, black	NA	3131
NF35F	Nylon, green	15	Nitrile foam full hand, black	NA	4131

**Nitrile-Dipped Gloves**

- Nitrile coating delivers added mechanical protection for cut and abrasion
- Foam nitrile coating adds grip in wet or oily applications
- Seamless knit shell has no seams to rub or chafe

**HONEYWELL**

Item	Fiber	Gauge	Coating and color	ANSI	EN388
395	Nylon, black	13	Nitrile foam, gray	NA	4121
393	Nylon, black	13	Nitrile foam, black	NA	4121
375	Nylon, black	13	Nitrile, gray	NA	4121
WE110	Polyester, black	13	Nitrile, black	NA	4121

**NORTH**

Item	Fiber	Gauge	Coating and color	ANSI	EN388
NFF13	Nylon, dark gray	15	Nitrile foam, gray	NA	3132
NF13	Nylon, white	13	Nitrile, gray	NA	4121

**Polyurethane (PU)-Dipped Gloves**

- PU coating is extremely durable, providing the best in abrasion, cut, tear and puncture protection
- PU durability allows for an ultra-thin coating to provide excellent tactile sensitivity
- Seamless knit shell has no seams to rub or chafe

**HONEYWELL**

Item	Fiber	Gauge	Coating and color	ANSI	EN388
PF550	Nylon, black	13	Polyurethane, gray	NA	4121
WE50	Nylon, blue	18	Polyurethane, gray	NA	2121
WE220	Polyester, black	13	Polyurethane, black	NA	4121

**NORTH**

Item	Fiber	Gauge	Coating and color	ANSI	EN388
NF15	Nylon, white	15	Polyurethane, white	NA	4131
NF15ESD	Copper based, ESD fiber	15	Polyurethane, gray	NA	3131

**Natural Rubber-Dipped Gloves**


- Natural Rubber coating delivers added mechanical protection for cut and puncture
- Seamless knit shell has no seams to rub or chafe

**HONEYWELL**

Item	Fiber	Gauge	Coating and color	ANSI	EN388
400	Acrylic, thermal, yellow	NA	Natural rubber, black	NA	2242
125	Nylon, white	13	Natural rubber, blue	1	2131

**NORTH**

Item	Fiber	Gauge	Coating and color	ANSI	EN388
NF14	Cotton/polyester, gray	10	Natural rubber, blue	NA	3142





## GENERAL-PURPOSE GLOVES



51/7147

### North® Grip N® Hot Mill Nitrile-Coated Gloves

- Patterned coating provides added grip, pattern is on both sides so gloves are ambidextrous
- Full palm coating provides greater abrasion resistance
- Seamless knit shell has no seams to rub or chafe

Item	Fiber	Gauge	Coating and color	ANSI	EN388
51/7147	Cotton/polyester, natural	10	Nitrile "N" pattern	NA	134X

## METAL MESH GLOVES AND GARMENTS



A515 D



525 SC

### Honeywell Whiting + Davis® Mesh Gloves and Garments

- The ultimate in cut and slash protection
- Whiting + Davis rings are smaller in diameter than most competitor rings to help prevent knife-sticks
- Gloves are 4-ring joined for a seamless design to prevent seam gaps and instances of knife-sticks
- Mesh fabric is fluid to allow full movement
- Gloves and garments are ergonomically engineered to reduce sag and bulk for greater wearer comfort
- Stainless steel is bacteria resistant and easily sanitized

Item	Description	Cuff/Strap Material
<b>Short Cuff Gloves</b>		
A513 D	Three finger glove with side slit, attached strap	Polypropylene
A515 D	Full hand with side slit, attached strap	Polypropylene
525	Fully enclosed glove, replaceable strap (Strap 222)	Polypropylene
52300	Fully enclosed glove, self-retractable cuff	Stainless steel
5902 MS	Fully enclosed glove, spring cuff	Stainless steel
<b>Mid Cuff Gloves – 3 ½" length</b>		
525 SC	Fully enclosed glove, 2 replaceable straps (Strap 222)	Polypropylene
<b>Long Cuff Gloves – 7 ½" length</b>		
5962 DP	Full hand, replaceable strap at wrist, attached strap at cuff	Polypropylene
54231	Full hand, 2 replaceable straps (Strap AGSLX/000)	Molded plastic
53331	Full hand, spring cuff at wrist, adjustable band at cuff	Stainless steel
<b>Aprons, Tunics and Sleeves</b>		
A2020	Stainless steel ring, 20" x 20", 2 straps neck and back (Strap 222A)	Polypropylene
A2436	Stainless steel ring, 24" x 36", 3 straps X-back and lower back (Strap 222EA)	Polypropylene
A2436 S/L	Stainless steel ring, 24" x 36", 3 straps X-back and lower back, one strap at knees (Strap 222EA)	Polypropylene
D2588	Double sleeve harness, adjustable straps, dome-snap cuff strap	Polypropylene
MT50	Full mesh tunic, dome-snap cuff strap	Polypropylene



A2436 S/L





CTSS-2-18TH

### Honeywell Comfortrel® 2-Ply Sleeves

- Comfortrel® combines HPPE, fiberglass and polyester fibers for a cool and comfortable sleeve with great cut protection

Item	Fiber	ANSI	EN388
CTSS-2-14	Comfortrel, 2 ply, 14" length	4	N/A
CTSS-2-14TH	Comfortrel, 2 ply, 14" length with thumbhole	4	N/A
CTSS-2-18	Comfortrel, 2 ply, 18" length	4	N/A
CTSS-2-18TH	Comfortrel, 2 ply, 18" length with thumbhole	4	N/A



KVS-2-14TH

### Honeywell Kevlar® High-Protection Sleeves

- Kevlar® fiber delivers excellent cut and slash protection
- Kevlar® sleeves are a good choice for steel manufacturing, automotive industries, as well as metal stamping
- Kevlar® can be combined with cotton for added comfort in warm environments.

Item	Fiber	ANSI	EN388
KVS-2-14TH	Kevlar®, 2-ply, 14", with thumbhole	3	1XXX
KVS-2-18	Kevlar®, 2-ply, 18"	3	1XXX
KVS-2-18TH	Kevlar®, 2-ply, 18" with thumbhole	3	1XXX
BK-KVS-2-14	Kevlar® black, 2-ply, 14"	3	1XXX
KVS-2-18TH-90	Kevlar®, 2-ply, 18" with thumbhole and leather patch	3	1XXX
KVCS-2-18	Kevlar® 1-ply, cotton 1-ply, 18"	3	1XXX
KVS44-2-18	Kevlar® cotton blend, 2-ply, 18"	2	N/A



KVS-2-18TH-90

### Spectra® Fiber Cut-Resistant Sleeves

- Spectra® Fiber is 15X stronger than steel on an equal weight basis, providing excellent cut and abrasion resistance
- Spectra is naturally low linting, making Spectra sleeves excellent arm protection in the food processing industry



PFSL-21-GY-AC

HONEYWELL			
Item	Fiber	ANSI	EN388
PFSL-21-GY-AC	Spectra® lightweight knit, gray, 21", alligator clip	A6	NA
PFSL-10-GY	Spectra®, gray, 10", elastic cuffs	A6	NA
NORTH			
Item	Fiber	ANSI	EN388
NFDS16	Spectra®/fiberglass, gray, 16", elastic cuffs	3	454X



## PRODUCT REFERENCE CHART

The Product Reference Chart includes product sizing as well as additional hand protection items not found in this catalog.

SKU	Sizes	Catalog section	SKU	Sizes	Catalog section	SKU	Sizes	Catalog section
LA049	S-XL	Chemical - Disposable	125LBR	Medium	Controlled Environment	KV18A-100-50	Ladies', Men's, Jumbo	Cut Resistant - Knits Leather Palm
LA049IND	S-XL	Chemical - Disposable	135LBR	Large	Controlled Environment	KV20A-100-50	Ladies', Men's, Jumbo	Cut Resistant - Knits Leather Palm
LA049PF	S-XL	Chemical - Disposable	145LBR	Xlarge	Controlled Environment	KV224D	Ladies', Men's, Jumbo	Cut Resistant - Knits Leather/Canvas
LA049PFIND	S-XL	Chemical - Disposable	115LNR	Small	Controlled Environment	MT24A	Ladies', Men's	Cut Resistant - Knits Terry
PSD-NI8	S-XXL	Chemical - Disposable	125LNR	Medium	Controlled Environment	TTC24GC	7-9	Cut Resistant - Knits Terry
PSD-TRIP	S-XL	Chemical - Disposable	135LNR	Large	Controlled Environment	52/7407	Men's	Cut Resistant - Knits Uncoated
T425	S-XL	Chemical - Disposable	145LNR	Xlarge	Controlled Environment	BK-KV18	Ladies', Men's, Jumbo	Cut Resistant - Knits Uncoated
T425PF	S-XL	Chemical - Disposable	115LWR	Small	Controlled Environment	CRT13	Ladies', Men's, Jumbo	Cut Resistant - Knits Uncoated
T525	S-XL	Chemical - Disposable	125LWR	Medium	Controlled Environment	CRT17	Ladies', Men's, Jumbo	Cut Resistant - Knits Uncoated
T525PF	S-XL	Chemical - Disposable	135LWR	Large	Controlled Environment	KV13A	Ladies', Men's, Jumbo	Cut Resistant - Knits Uncoated
SSA	One size	Chemical - Silver Shield	145LWR	XLarge	Controlled Environment	KV17A-PL	Ladies', Men's	Cut Resistant - Knits Uncoated
SSB	One size	Chemical - Silver Shield	2115WU	Small	Controlled Environment	KV18A-100	Ladies', Men's, Jumbo	Cut Resistant - Knits Uncoated
SSCA	S-XL	Chemical - Silver Shield	2215WU	Medium	Controlled Environment	KV20A-100	Ladies', Men's, Jumbo	Cut Resistant - Knits Uncoated
SSG	6-11	Chemical - Silver Shield	2315WU	Large	Controlled Environment	KV5SS	S-XL	Cut Resistant - Knits Uncoated
SSG29	One size	Chemical - Silver Shield	2415WU	XLarge	Controlled Environment	KVSP13A	Ladies', Men's	Cut Resistant - Knits Uncoated
SSS	One size	Chemical - Silver Shield	311LWR	Small	Controlled Environment	KVT24A-CKC	Ladies', Men's	Cut Resistant - Knits Uncoated
3514FWG	10XL	Chemical - Supported	321LWR	Medium	Controlled Environment	PF10-GY	XS-XXL	Cut Resistant - Knits Uncoated
460	M-XL	Chemical - Supported	331LWR	Large	Controlled Environment	PF13	XS-XL	Cut Resistant - Knits Uncoated
1812FWG01	10XL	Chemical - Supported	341LWR	XLarge	Controlled Environment	PF13-GY	S-XXL	Cut Resistant - Knits Uncoated
660	M-XXL	Chemical - Supported	314LWR	Small	Controlled Environment	PF13-GY-SS	S-XL	Cut Resistant - Knits Uncoated
850FWG	9L-10XL	Chemical - Supported	324LWR	Medium	Controlled Environment	PF13-GY-SS-PL	S-XL	Cut Resistant - Knits Uncoated
KV660	M-XXL	Chemical - Supported	334LWR	Large	Controlled Environment	PF7-GY-SS	XS-XL	Cut Resistant - Knits Uncoated
NK803	7-11	Chemical - Supported	344LWR	Xlarge	Controlled Environment	K211	Ladies', Men's	General Purpose - Coated
NK803ES	7-11	Chemical - Supported	AK1815/O	8-11	Controlled Environment	K511	Ladies', Men's	General Purpose - Coated
NK803ESIN	7-11	Chemical - Supported	ATCP1815/O	8-11	Controlled Environment	NVC13A	Ladies', Men's	General Purpose - Coated
NK803IN	7-11	Chemical - Supported	CE412W	XS-XL	Controlled Environment	PKD18A	Ladies', Men's	General Purpose - Coated
PC-NE14	M-XL	Chemical - Supported	NRC1815/O	7-11	Controlled Environment	1802BT	10XL	General Purpose - Coated
T1841WG	10XL-11XXL	Chemical - Supported	SK142W/HEM	7-11	Controlled Environment	23/6145	Men's	General Purpose - Coated
T65FWG	11XXL	Chemical - Supported	NFD18FRG	7S-11XXL	Cut Resistant - Dip Coated FR Knit	51/7147	Men's	General Purpose - Coated
B074GI	S-L	Chemical - Unsupported	KV200	S-XXL	Cut Resistant - Dip Coated Knits	51/7147C	Men's	General Purpose - Coated
B131	7-11	Chemical - Unsupported	KV303	S-XL	Cut Resistant - Dip Coated Knits	78/1142	XS-XL	General Purpose - Coated
B131R	7-11	Chemical - Unsupported	NFCRTF	7S-11XXL	Cut Resistant - Dip Coated Knits	79/1191	Ladies', Men's	General Purpose - Coated
B144GI	XS-XL	Chemical - Unsupported	NFD11HD	7S-11XXL	Cut Resistant - Dip Coated Knits	81/1162	Ladies', Men's	General Purpose - Coated
B144RGI	XS-XL	Chemical - Unsupported	NFD15	6XS-11XXL	Cut Resistant - Dip Coated Knits	82/6142	Ladies', Men's	General Purpose - Coated
B161	7-11	Chemical - Unsupported	NFD15B	6XS-11XXL	Cut Resistant - Dip Coated Knits	85/3719	Ladies', Men's	General Purpose - Cut & Sewn
B161R	7-11	Chemical - Unsupported	NFD16ESD	7S-11XXL	Cut Resistant - Dip Coated Knits	85/3721	M-XL	General Purpose - Cut & Sewn
B174	8-11	Chemical - Unsupported	NFD16G	7S-11XXL	Cut Resistant - Dip Coated Knits	85/3729	M-XXL	General Purpose - Cut & Sewn
B174GI	XS-XL	Chemical - Unsupported	NFD20B	7S-11XXL	Cut Resistant - Dip Coated Knits	M2900	7S-10XL	General Purpose - Cut & Sewn
B174R	8-11	Chemical - Unsupported	NFD35X	7S-11XXL	Cut Resistant - Dip Coated Knits	T157	10XL	General Purpose - Cut & Sewn, Coated
B254GI	XS-XL	Chemical - Unsupported	NFF13C	7S-10XL	Cut Resistant - Dip Coated Knits	T4700	6XS-10XL	General Purpose - Cut & Sewn, Coated
B324	8-11	Chemical - Unsupported	NFKL13	6XS-11XXL	Cut Resistant - Dip Coated Knits	T4700P	6XS-10XL	General Purpose - Cut & Sewn, Coated
B324R	8-12	Chemical - Unsupported	PF541	S-XL	Cut Resistant - Dip Coated Knits	DSFN	7S-11XXL	General Purpose - Dip Coated Knit
BNI243	8-11	Chemical - Unsupported	PF541HVZ	S-XXL	Cut Resistant - Dip Coated Knits	PF550	S-XXL	General Purpose - Dip Coated Knit
F284	8-11	Chemical - Unsupported	PF542	S-XL	Cut Resistant - Dip Coated Knits	PF560	S-XL	General Purpose - Dip Coated Knit
LA102G	7-11	Chemical - Unsupported	PF570	S-XXL	Cut Resistant - Dip Coated Knits			
LA111EB	7-11	Chemical - Unsupported	WE300	XS-XXL	Cut Resistant - Dip Coated Knits			
LA111EBFL	7-11	Chemical - Unsupported	52/6647	Ladies', Men's	Cut Resistant - Knits Coated			
LA115EB	7-11	Chemical - Unsupported	52/7457	Men's	Cut Resistant - Knits Coated			
LA115EBFL	7-11	Chemical - Unsupported	52/7457C	Men's	Cut Resistant - Knits Coated			
LA132G	7-11	Chemical - Unsupported	KVAD18	Ladies', Men's	Cut Resistant - Knits Coated			
LA142G	7-11	Chemical - Unsupported	KVD17AR-PL	Ladies', Men's	Cut Resistant - Knits Coated			
LA172G	7-11	Chemical - Unsupported	KVD18AR-1	Ladies', Men's	Cut Resistant - Knits Coated			
LA258G	7-11	Chemical - Unsupported	KVD18AR-100	Ladies', Men's	Cut Resistant - Knits Coated			
PNLB1815/O	8-11	Chemical - Unsupported	KV18-55	Ladies', Men's, Jumbo	Cut Resistant - Knits Leather Palm			
115LBR	Small	Controlled Environment						



## PRODUCT REFERENCE CHART

SKU	Sizes	Catalog section
WE110	S-XXL	General Purpose - Dip Coated Knit
WE220	XS-XL	General Purpose - Dip Coated Knit
WE50	S-XXL	General Purpose - Dip Coated Knit
NF11	6XS-11XXL	General Purpose - Dip Coated Knit
NF11HD	7S-11XXL	General Purpose - Dip Coated Knit
NF11HVY	7S-11XXL	General Purpose - Dip Coated Knit
NF11X	6XS-11XXL	General Purpose - Dip Coated Knit
NF13	7S-11XXL	General Purpose - Dip Coated Knit
NF14	7S-11XXL	General Purpose - Dip Coated Knit
NF15	7S-11XXL	General Purpose - Dip Coated Knit
NF15ESD	6XS-11XXL	General Purpose - Dip Coated Knit
NF35	7S-11XXL	General Purpose - Dip Coated Knit
NF35F	7S-11XXL	General Purpose - Dip Coated Knit
NF45	6XS-11XXL	General Purpose - Dip Coated Knit
NF45G	7S-11XXL	General Purpose - Dip Coated Knit
NFF13	7S-11XXL	General Purpose - Dip Coated Knit
125	S-XXL	General Purpose - Dip Coated Knit
375	S-XL	General Purpose - Dip Coated Knit
380	S-XXL	General Purpose - Dip Coated Knit
390	S-XXL	General Purpose - Dip Coated Knit
393	XS-XXL	General Purpose - Dip Coated Knit
395	S-XL	General Purpose - Dip Coated Knit
400	S-XXL	General Purpose - Dip Coated Knit
395HVZ	S-XL	General Purpose - Dip Coated Knit
83/6241	Ladies', Men's	General Purpose - Knit Coated
70/6465NK	Ladies', Men's	General Purpose - Leather/Canvas
TK14AL-1	Ladies'	General Purpose - Terry
TK14AL-10	Ladies'	General Purpose - Terry, Leather 10 Patch
CP13-1	Ladies', Men's, Jumbo	General Purpose - Uncoated
LFN13A	Ladies', Men's	General Purpose - Uncoated
NY13-1	Ladies', Men's	General Purpose - Uncoated
PAK18A	Ladies', Men's	General Purpose - Uncoated
TH13A	One size	General Purpose - Uncoated
TH13A-BL	One size	General Purpose - Uncoated
TSK19A	Ladies', Men's	General Purpose - Uncoated
WK18ATC	Men's	General Purpose - Uncoated
11RK	7S-10XL	General Purpose - Uncoated
12RK	7S-10XL	General Purpose - Uncoated
24AC-GY-1	Ladies', Men's	General Purpose - Uncoated
MPCT1000	7S-11XXL	Impact Protection - All season
MPCT1000HD	7S-11XXL	Impact Protection - Winter liner
15002/000/A51	One size	Metal Mesh - Accessory
222A	One size	Metal Mesh - Accessory
222EA	One size	Metal Mesh - Accessory
222ES	One size	Metal Mesh - Accessory
222	XXS-XXL	Metal Mesh - Accessory
222 D	S-XL	Metal Mesh - Accessory
222 B	S-XL	Metal Mesh - Accessory
AC-1R	One size	Metal Mesh - Accessory
ACLIPSW/RING	One size	Metal Mesh - Accessory
ATJBC/FOO	One size	Metal Mesh - Accessory
ATJBC/JO0	One size	Metal Mesh - Accessory
A2020	20" x 20"	Metal Mesh - Apron
A2025	20" x 25"	Metal Mesh - Apron

SKU	Sizes	Catalog section
A2030	20" x 30"	Metal Mesh - Apron
A2034	20" x 34"	Metal Mesh - Apron
A2240	22" x 40"	Metal Mesh - Apron
A2436	24" x 36"	Metal Mesh - Apron
A2634	26" x 34"	Metal Mesh - Apron
A2634 S/L	26" x 34"	Metal Mesh - Apron
A2640 S/L	26" x 40"	Metal Mesh - Apron
A3040 S/L	30" x 40"	Metal Mesh - Apron
AP22X22LP	22" x 22"	Metal Mesh - Apron
AP30X22LP	30" x 22"	Metal Mesh - Apron
52300	0-6	Metal Mesh - Glove
525	XS-XXL	Metal Mesh - Glove
525 SC	XXS-XXXL	Metal Mesh - Glove
53331	0-6	Metal Mesh - Glove
54200	1-5	Metal Mesh - Glove
54231	1-5	Metal Mesh - Glove
54241	1-4	Metal Mesh - Glove
5902 MS	XXS-XXL	Metal Mesh - Glove
5962 DP	XXS-XXL	Metal Mesh - Glove
A513 D	XXS-XXL	Metal Mesh - Glove
A515 D	XXS-XXXL	Metal Mesh - Glove
D2588	XXS-XXXL	Metal Mesh - Sleeve
A588 E	XS-XXL	Metal Mesh - Sleeve
ST200	XS-XXL	Metal Mesh - T-shirt
A218	L	Metal Mesh - T-shirt
MT40SL	One size	Metal Mesh - Tunic
MT48SL	One size	Metal Mesh - Tunic
MT50	S-XXL	Metal Mesh - Tunic
MT50 S/L	S-XXL	Metal Mesh - Tunic
MT60	S-XXL	Metal Mesh - Tunic
PF2SL-21		Sleeves
BK-KVCS-2-14		Sleeves - Black Kevlar® and cotton
BK-KVS-2-10		Sleeves - Black Kevlar®
BK-KVS-2-14		Sleeves - Black Kevlar®
BK-KVS-2-18		Sleeves - Black Kevlar®
BK-KVS-2-18TH		Sleeves - Black Kevlar® with thumbhole
BK-KVS-2-23TH		Sleeves - Black Kevlar® with thumbhole
CRTS-2-14		Sleeves - CRT Fiber
CRTS-2-14TH		Sleeves - CRT Fiber with thumbhole
CRTS-2-18		Sleeves - CRT Fiber
CRTS-2-18TH		Sleeves - CRT Fiber with thumbhole
CRTS-2-24TH-3BT		Sleeves - CRT Fiber with bartack
CS-1-16		Sleeves - Cotton
CS-1-18		Sleeves - Cotton
CS-2-18		Sleeves - Cotton
CS-2-18TH		Sleeves - Cotton with thumbhole
CS-2-20		Sleeves - Cotton
CTSS-2-14		Sleeves - Comfortrel Fiber
CTSS-2-14TH		Sleeves - Comfortrel Fiber with thumbhole

SKU	Sizes	Catalog section
CTSS-2-18		Sleeves - Comfortrel Fiber
CTSS-2-18TH		Sleeves - Comfortrel Fiber with thumbhole
CTSS-2-20THNS		Sleeves - Comfortrel Fiber with thumbhole and no slip top
KVCS-2-14		Sleeves - Kevlar®, cotton
KVCS-2-14TH-NS		Sleeves - Kevlar®, cotton with thumbhole, and no slip top
KVCS-2-16		Sleeves - Kevlar®, cotton
KVCS-2-18		Sleeves - Kevlar®, cotton
KVCS-2-18TH		Sleeves - Kevlar®, cotton with thumbhole
KVCS-2-18TH-NS		Sleeves - Kevlar®, cotton with thumbhole and no slip top
KVCS-2-22		Sleeves - Kevlar®, cotton
KVS-1-14		Sleeves - 100% Kevlar®
KVS-1-18		Sleeves - 100% Kevlar®
KVS-2-10		Sleeves - 100% Kevlar®
KVS-2-10TH		Sleeves - 100% Kevlar® with thumbhole
KVS-2-14		Sleeves - 100% Kevlar®
KVS-2-14TH		Sleeves - 100% Kevlar® with thumbhole
KVS-2-14TH-3BT		Sleeves - 100% Kevlar® with bartack
KVS-2-14TH-90		Sleeves - 100% Kevlar® with thumbhole and leather patch
KVS-2-18		Sleeves - 100% Kevlar®
KVS-2-18TH		Sleeves - 100% Kevlar® with thumbhole
KVS-2-18TH-90		Sleeves - 100% Kevlar® with thumbhole and leather patch
KVS-2-18TH-NS		Sleeves - 100% Kevlar® with thumbhole and no slip top
KVS-2-20TH-3BTNS		Sleeves - 100% Kevlar® with bartack
KVS-2-24TH		Sleeves - 100% Kevlar® with thumbhole
KVS44-2-18		Sleeves - Kevlar®/Cotton blend
KVS44-2-18TH		Sleeves - Kevlar®/Cotton blend with thumbhole
KVSJ-2-18TH3BTNS		Sleeves - Kevlar®/Cotton blend with bartack
LPFSL-21-AC		Sleeves - Spectra® Fiber
NFDS16		Sleeves - Spectra® Fiber
PFSL-10-GY		Sleeves - Spectra® Fiber
1590BLAW	10XL	Welding Glove

